	Application No.	Applicant(s)
Notice of Allowability		
	09/556,821 Examiner	SUGITA, YUKIO Art Unit
	Qutub Ghulamali	2637
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>8/17/2005</u> .		
2. The allowed claim(s) is/are 2.12,21 and 23.		
<ul> <li>3.</li></ul>		
<ul> <li>2. ☐ Certified copies of the priority documents have been received in Application No</li> </ul>		
2. ☐ Certified copies of the priority documents have been received in Application No  3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) 🔲 including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1)  hereto or 2)  to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
•		
	•	
A44h		
Attachment(s)  1. Notice of References Cited (PTO-892)	5. Notice of Inforr	mal Patent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. 🔲 Interview Sumr	mary (PTO-413),
3. Information Disclosure Statements (PTO-1449 or PTO/SB/06		nil Date nendment/Comment
Paper No./Mail Date  4.  Examiner's Comment Regarding Requirement for Deposit	8. 🛭 Examiner's Sta	atement of Reasons for Allowance
of Biological Material	9.	
•		

Application/Control Number: 09/556,821

Art Unit: 2637

### DETAILED ACTION

## Acknowledgment

1. This Office Action is responsive to the Amendment filed by the applicant on 08/17/2005.

# Allowable Subject Matter

2. Claims 2, 12, 21 and 23 allowed.

### Reasons for Allowance

3. The following is an examiner's statement of reasons for allowance:

With reference to independent claims 2, 12, 21 and 23, the prior art made of record in combination with other claimed limitations, neither teaches or renders obvious, a pulse width modulating device comprising a counter which, after the pulse of the pulse width modulating signal is made to rise, counts a number of pulses of the remaining one of the first clock signal and the processing clock signal generated by said operation device, wherein after said counter has counted a predetermined number of pulses, said pulse width modulating signal output device makes the pulse fall synchronously with the remaining one of the first clock signal and the processing clock signal generated by said operation device, and a selector which selects and outputs to the pulse width modulating signal output device one of the first clock signal and the processing clock signal, based on a clock selection signal input to the selector.

Application/Control Number: 09/556,821 Page 3

Art Unit: 2637

Such limitations, as recited in claims 2, 12, 21 and 23, are neither anticipated nor rendered obvious by the prior art made of record.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

### Conclusion

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Qutub Ghulamali whose telephone number is (571) 272-3014. The examiner can normally be reached on Monday-Friday from 8:00AM - 5:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jay Patel can be reached on (571) 272-2988. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

QG September 8, 2005

> JAY K. PATEL SUPERVISORY PATENT EXAMINER